

PROPOSAL CONTRACT

FOR THE CONSTRUCTION OF

Contract No. 220044

PIN: 132444.00

County: Wilson

Federal Project No.: CM/TAP-M-1952(10)

State Project No.: 95LPLM-F3-127

Local Agency Reference No.:

Description Of Project: West Division St., from Mt. Juliet Elementary School to S Greenhill Rd.

Project Length: 0.614 miles (3,242 linear feet)

Completion Time: On or Before 365 calendar days from the notice to proceed (12 months)

DBE Goal: 0%

By:

City,

St.:

Surety:

ADAMS CONTRACTING, LLC
131 PROSPEROUS PLACE, SUITE 19A
LEXINGTON, KY 40509-1844

NATIONWIDE MUTUAL INSURANCE @.

TDOT Version: 10/6/2025

BID FORM

PROPOSAL OF:

ADAMS CONTRACTING, LLC
131 PROSPEROUS PLACE, SUITE 19A
LEXINGTON, KY 40509-1844

(Address of Bidder)

organized and existing under the laws of the State of KY and doing business as a Adams Contracting, LLC (insert "a corporation", "a partnership" or "an individual" or otherwise as applicable).

**To the CITY OF MOUNT JULIET
115 CLEMMONS ROAD
MT. JULIET, TENNESSEE, 37122**

In compliance with your Advertisement for Bids, Bidder hereby proposes to furnish all necessary labor, machinery, tools, apparatus, materials, equipment, services and other necessary supplies, in strict accordance with the terms and conditions of plans, specifications and Contract Documents within the number of consecutive calendar days and the prices set forth below for:

By submitting this Bid, Bidder certifies that this Bid has been arrived independently, without consolation, communication or agreement as to any matter relating to this Bid with any other bidder or with any other competitor.

Bidder agrees, upon receipt of the Notice to Proceed, to commence work on the project immediately thereafter and to complete the project within **three hundred and sixty-five (365) calendar days** from the date of the Notice to Proceed.

The Bidder Agrees to furnish and construct all work in accordance with the Contract Documents for the following price(s):

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL
-	105-01	CONSTRUCTION STAKES, LINES AND GRADES	LS	1.00	15,000. ⁰⁰	15,000. ⁰⁰
-	201-01	CLEARING AND GRUBBING	LS	1.00	10,000. ⁰⁰	10,000. ⁰⁰
-	202-01.13	REMOVAL OF PIPE (24" ,132+31)	L.F.	8.00	25. ⁰⁰	200. ⁰⁰
-	202-01.14	REMOVAL OF PIPE (15" ,117+75, 128+50)	L.F.	50.00	25. ⁰⁰	1,250. ⁰⁰
1	202-03.01	REMOVAL OF ASPHALT PAVEMENT	S.Y.	132.00	25. ⁰⁰	3,300. ⁰⁰
2	202-04.01	REMOVAL OF STRUCTURES (HEADWALL, 130+86.)	LS	1.00	1,250. ⁰⁰	1,250. ⁰⁰
2	202-04.02	REMOVAL OF STRUCTURES (HEADWALL, 132+31.)	LS	1.00	1,250. ⁰⁰	1,250. ⁰⁰
2	202-08.10	REMOVAL OF CURB (STA. 11+35, 11+54, 131+40)	L.F.	38.00	20. ⁰⁰	760. ⁰⁰
3	203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	C.Y.	1650.00	25. ⁰⁰	41,250. ⁰⁰
3	203-03	BORROW EXCAVATION	C.Y.	805.00	70. ⁰⁰	56,350. ⁰⁰
-	203-04	PLACING AND SPREADING TOPSOIL	C.Y.	2020.00	15. ⁰⁰	30,300. ⁰⁰
-	203-05	UNDERCUTTING	C.Y.	225.00	90. ⁰⁰	20,250. ⁰⁰
-	209-05	SEDIMENT REMOVAL	C.Y.	100.00	10. ⁰⁰	1,000. ⁰⁰
4	209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	L.F.	3100.00	5. ⁰⁰	15,500. ⁰⁰
-	209-08.07	ROCK CHECK DAM PER	EACH	2.00	850. ⁰⁰	1,700. ⁰⁰
-	209-09.40	CURB INLET PROTECTION (TYPE 1)	EACH	1.00	300. ⁰⁰	300. ⁰⁰
-	209-40.34	CATCH BASIN PROTECTION (TYPE E)	EACH	6.00	500. ⁰⁰	3,000. ⁰⁰
5	303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	TON	1600.00	45. ⁰⁰	72,000. ⁰⁰
5	307-01.07	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M	TON	110.00	160. ⁰⁰	17,600. ⁰⁰
5	307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	TON	475.00	155. ⁰⁰	73,625. ⁰⁰
5	402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	TON	7.00	1,250. ⁰⁰	8,750. ⁰⁰
5	402-02	AGGREGATE FOR COVER MATERIAL (PC)	TON	20.00	52. ⁰⁰	1,040. ⁰⁰
5	403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	TON	2.50	1,250. ⁰⁰	3,125. ⁰⁰
-	407-20.05	SAW CUTTING ASPHALT PAVEMENT	L.F.	83.00	9. ⁰⁰	747. ⁰⁰
5	411-01.07	ACS MIX (PG-22) GRADING E SHOULDER	TON	350.00	185. ⁰⁰	64,750. ⁰⁰
5	411-02.10	ACS MIX(PG70-22) GRADING D	TON	87.50	265. ⁰⁰	23,187. ⁵⁰
5	415-01.01	COLD PLANING BITUMINOUS PAVEMENT	TON	100.00	135. ⁰⁰	13,500. ⁰⁰
6	602-03.03	PEDESTRIAN BRIDGE	LS	1.00	225,000. ⁰⁰	225,000. ⁰⁰
7	607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	L.F.	228.00	90. ⁰⁰	20,520. ⁰⁰
7	607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	L.F.	46.00	150. ⁰⁰	6,900. ⁰⁰

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL
-	611-05.01	TRENCH DRAINS	L.F.	33.00	500.00	16,500.00
-	611-07.31	18IN ENDWALL (SIDE DRAIN)	EACH	6.00	4,800.00	28,800.00
-	611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	EACH	1.00	2,300.00	2,300.00
-	611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	EACH	4.00	2,500.00	10,000.00
-	611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	EACH	1.00	3,900.00	3,900.00
-	611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	EACH	1.00	3,000.00	3,000.00
-	611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	EACH	1.00	6,500.00	6,500.00
8	701-01.01	CONCRETE SIDEWALK (4 ")	S.F.	1462.00	17.00	24,854.00
8	701-01.02	CONCRETE SIDEWALK (6 ")	S.F.	739.00	18.00	13,302.00
8	701-01.09	ORNAMENTAL CONCRETE (STAMPED CONCRETE SIDEWALK)	S.F.	390.00	32.00	12,480.00
9	701-02.03	CONCRETE CURB RAMP	S.F.	149.00	65.00	9,685.00
-	702-01	CONCRETE CURB	C.Y.	20.00	1,100.00	22,000.00
10	702-03	CONCRETE COMBINED CURB & GUTTER	C.Y.	10.00	800.00	8,000.00
-	702-10.02	WHEEL STOP	EACH	10.00	160.00	1,600.00
2	707-06.01	REMOVAL OF FENCE (T-POST AND WIRE FENCE LINE)	L.F.	46.00	10.00	460.00
-	707-08.01	FENCE	L.F.	3200.00	40.00	128,000.00
-	707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	L.F.	1065.00	3.00	3195.00
11	709-05.05	MACHINED RIP-RAP (CLASS A-3)	TON	30.00	125.00	3750.00
11	709-05.06	MACHINED RIP-RAP (CLASS A-1)	TON	21.00	110.00	2310.00
-	712-01	TRAFFIC CONTROL	LS	1.00	65,000.00	65,000.00
-	712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	EACH	100.00	40.00	4,000.00
-	712-05.01	WARNING LIGHTS (TYPE A)	EACH	20.00	20.00	400.00
-	712-06	SIGNS (CONSTRUCTION)	S.F.	345.00	7.00	2415.00
-	712-07.03	TEMPORARY BARRICADES (TYPE III)	L.F.	130.00	19.00	2470.00
12	713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	EACH	1.00	160.00	160.00
13	713-16.20	SIGNS (MUTCD SIGN - R10-15)	EACH	1.00	270.00	270.00
13	713-16.21	SIGNS (ADA PARKING SIGN)	EACH	1.00	200.00	200.00
13	713-16.22	SIGNS (MUTCD SIGN - R1-5B)	EACH	2.00	290.00	580.00
13	713-16.23	SIGNS (MUTCD SIGN - R4-7)	EACH	2.00	200.00	400.00
13	713-16.24	SIGNS (MUTCD SIGN - R-8)	EACH	1.00	180.00	180.00

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL
13	713-16.26	SIGNS (MUTCD SIGN - R-8A)	EACH	1.00	17. ⁰⁰	17. ⁰⁰
13	713-16.27	SIGNS (MUTCD SIGN - S1-1)	EACH	2.00	326. ⁰⁰	652. ⁰⁰
13	713-16.30	SIGNS (MUTCD SIGN - W11-2)	EACH	4.00	310. ⁰⁰	1240. ⁰⁰
13	713-16.32	SIGNS (MUTCD SIGN - W16-2AP)	EACH	2.00	33. ⁰⁰	66. ⁰⁰
13	713-16.33	SIGNS (MUTCD SIGN - W16-7P)	EACH	4.00	33. ⁰⁰	132. ⁰⁰
13	713-16.35	SIGNS (MUTCD SIGN - OM1-1)	EACH	2.00	54. ⁰⁰	108. ⁰⁰
-	713-16.36	SIGNS (R10-23, 24" x 30")	EACH	2.00	650. ⁰⁰	1300. ⁰⁰
14	714-03	JACKED OR BORED CONDUIT	L.F.	200.00	140. ⁰⁰	28,000. ⁰⁰
-	714-03.01	DIRECT BURIAL CONDUIT (2" PVC, SCHEDULE 40)	L.F.	190.00	30. ⁰⁰	5,700. ⁰⁰
-	714-05.04	PULL BOXES (TYPE C)	EACH	5.00	2400. ⁰⁰	12,000. ⁰⁰
15	714-06.03	CABLE (1/C #10 AWG)	L.F.	810.00	2.25	1822. ⁵⁰
16	714-06.05	CABLE (1/C #6 AWG)	L.F.	410.00	3.50	1435. ⁰⁰
17	714-08.09	LIGHT STANDARDS (30' M.H.)	EACH	3.00	2350. ⁰⁰	7050. ⁰⁰
17	714-08.28	FOUNDATION FOR LIGHT STANDARDS - ROADWAY (30' STANDARD)	EACH	3.00	3,000. ⁰⁰	9,000. ⁰⁰
18	714-09.47	LED LUMINAIRES (74 WATT)	EACH	4.00	2,000. ⁰⁰	8,000. ⁰⁰
-	716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	S.Y.	16.00	38. ⁰⁰	608. ⁰⁰
19	716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	L.F.	78.00	22. ⁰⁰	1716. ⁰⁰
19	716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	L.F.	210.00	22. ⁰⁰	4620. ⁰⁰
-	716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	L.M.	0.02	8500. ⁰⁰	170. ⁰⁰
19	716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	EACH	1.00	480. ⁰⁰	480. ⁰⁰
19	716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	S.F.	18.00	49. ⁰⁰	882. ⁰⁰
-	716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	L.M.	0.07	1200. ⁰⁰	84. ⁰⁰
-	716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	L.M.	0.50	1470. ⁰⁰	735. ⁰⁰
-	716-13.06	SPRAY THERMO PAVEMENT MARKING (6" LINE)	L.M.	0.04	5980. ⁰⁰	239. ²⁰
-	716-80.01	PROTECTIVE BOLLARDS	EACH	14.00	835. ⁰⁰	11,690. ⁰⁰
20	717-01	MOBILIZATION	LS	1.00	165,000. ⁰⁰	165,000. ⁰⁰
-	721-01.01	BENCH	EACH	4.00	1810. ⁰⁰	7240. ⁰⁰
-	721-01.02	TRASH RECEPTACLE	EACH	3.00	1670. ⁰⁰	5010. ⁰⁰
21	730-01.03	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	EACH	1.00	3500. ⁰⁰	3500. ⁰⁰
-	730-03.21	INSTALL PULLBOX (TYPE B)	EACH	5.00	1630. ⁰⁰	8150. ⁰⁰

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL
-	730-05.04	MODIFYING EXISTING ELECTRICAL SERVICE CONNECTION	EACH	1.00	3960. ⁰⁰	3960. ⁰⁰
22	730-05.05	ELECTRICAL SERVICE CONNECTION (PHB)	EACH	1.00	6130. ⁰⁰	6130. ⁰⁰
-	730-08.02	SIGNAL CABLE - 5 CONDUCTOR	L.F.	590.00	3.50	2065. ⁰⁰
-	730-08.03	SIGNAL CABLE - 7 CONDUCTOR	L.F.	80.00	3.75	300. ⁰⁰
23	730-12.02	CONDUIT 2" DIAMETER (PVC SCHEDULE 40)	L.F.	30.00	30.50	915. ⁰⁰
-	730-12.16	CONDUIT (2" DIAMETER SCHEDULE 80 PVC, DIRECTIONAL DRILL)	L.F.	170.00	142. ⁰⁰	24,140. ⁰⁰
-	730-15.07	CABINET (ATC, POLE MOUNTED)	EACH	1.00	27,000. ⁰⁰	27,000. ⁰⁰
24	730-16.04	CONTROLLER (ATC)	EACH	1.00	11,000. ⁰⁰	11,000. ⁰⁰
25	730-23.28	PEDESTAL POLE (TYPE A)	EACH	1.00	3810. ⁰⁰	3810. ⁰⁰
26	730-25.01	CANTILEVER SIGNAL SUPPORT (1 ARM @ 50')	EACH	1.00	31,000. ⁰⁰	31,000. ⁰⁰
-	730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSHBUTTON & 15IN SIGN	EACH	4.00	2870. ⁰⁰	11,480. ⁰⁰
27	730-50.25	PEDESTRIAN HYBRID BEACON ASSEMBLY	EACH	2.00	3110. ⁰⁰	6220. ⁰⁰
28	740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	S.Y.	90.00	16. ⁰⁰	1440. ⁰⁰
-	801-01	SEEDING WITH MULCH	UNIT	215.00	50. ⁰⁰	10,750. ⁰⁰
29	801-03	WATER (SEEDING AND SODDING)	MG	17.00	163. ⁰⁰	2771. ⁰⁰
-	802-04.01	GROUND COVER (DWARF LOBED TICKSEED)	SY	7.00	60. ⁰⁰	420. ⁰⁰
-	802-04.02	GROUND COVER (SOUTHERN RIPARIAN SEED MIX)	SY	221.13	9. ⁰⁰	1990. ¹⁷
30	920-20.53	PEDESTRIAN BOARDWALK (108+60.63-109+20.63)	LS	1.00	90,000. ⁰⁰	90,000. ⁰⁰
-	920-20.68	BOLLARD (REMOVABLE)	EACH	6.00	1920. ⁰⁰	11,520. ⁰⁰
31	920-20.88	PLANTER SEAT WALL	LS	1.00	25,000. ⁰⁰	25,000. ⁰⁰

TOTAL COST	1,668,673.37
------------	--------------

FOOTNOTE	ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL
FOOTNOTES						
1		REMOVAL OF EXISTING ASPHALT DRIVE (SHEET EXISTING CONDITIONS AND DEMOLITION PLAN SHEETS)				
2		INCLUDES SAW CUTTING (SEE EXISTING CONDITIONS AND DEMOLITION PLAN SHEETS)				
3		INCLUDES EXCAVATION FOR SIDEWALK SECTION, ALL CUT AREAS, AND EXCAVATION OF GRAVEL AREAS AND DRIVEWAYS. INCLUDES EXCAVATION OF FIRST 6" OF TOPSOIL ON SITE AND STOCKPILE OF MATERIALS.				
4		SEE SUBSECTION 209.07 OF THE STANDARD SPECIFICATIONS FOR MAINTENANCE REPLACEMENT. ALL QUANTITIES ARE TO BE USED AS DIRECTED BY THE ENGINEER.				
5		SEE ASPHALT FULL DEPTH PAVEMENT SECTION ON TYPICAL SECTION SHEET				
6		STRUCTURE #1, SEE STRUCTURES SHEETS FOR ADDITIONAL NOTES TO BE INCLUDED IN THIS ITEM, STA. 129+96.79 - 130+46.79				
7		BEDDING MATERIALS SHALL BE INCLUDED IN THE COST OF PIPE.				
8		ITEM NUMBER INCLUDES 4" BASE STONE AND WELDED WIRE MESH				
9		ITEM NUMBER SHALL CONSIST OF CONCRETE FOR CURB RAMPS, INCLUDING 4" OF BASE STONE, WELDED WIRE MESH, AND DETECTABLE WARNING SURFACES.				
10		ITEM NUMBER INCLUDES JOINTS, ANY CIRCULAR SECTION REQUIRED TO BE BUILT CONFORMING TO SECTIONS SHOWN IN TDOT STD. DRAWING RP-VC-10				
11		INCLUDES CONSTRUCTION ENTRANCE, OUTLET PROTECTION, AND STABILIZATION FOR BRIDGE END BENTS				
12		ITEM NUMBER INCLUDES ANY NECESSARY RELOCATION OF EXISTING SIGN PANELS AND SUPPORTS TO A NEW LOCATION AS INDICATED ON THE PLANS.				
13		SEE PLAN AND PROFILE SHEETS FOR SIGN LOCATIONS				
14		LIGHTING CONDUIT FOR INSTALLATION UNDER ROADWAYS, DIRECTIONAL BORING ONLY.				
15		#10 AWG CONDUCTORS TO BE USED FOR ELECTRICAL LIGHTING OF LUMINAIRES.				
16		#6 AWG CONDUCTORS TO BE INSTALLED AS GROUND CONDUCTOR FOR ALL UNDERGROUND CIRCUITS.				
17		SEE STANDARD DRAWING T-L-1.				
18		FIXTURES WITH THE FOLLOWING SPECIFICATIONS SHALL BE USED IN THE PROJECT: HOLOPHANE MGLED M P12 40K MVOLT MR PR7 CONTACT ENGINEER FOR APPROVAL OF FIXTURE SPECIFICATIONS PRIOR TO ORDERING.				
19		CONTRACTOR MAY ELECT TO SUBSTITUTE PREFORMED PLASTIC FOR THERMOPLASTIC. PREFORMED PLASTIC SHALL BE PAID FOR AT THE SAME UNIT PRICE AS BID FOR THERMOPLASTIC				
20		SHALL INCLUDE THE COST TO INSTALL, MAINTAIN THROUGHOUT THE DURATION OF CONSTRUCTION, AND REMOVE A DESIGNATED TEMPORARY CONCRETE WASHOUT STATION. THIS WASHOUT STATION SHALL COLLECT AND RETAIN ALL CONCRETE WASHOUT WATER AND SOLIDS IN A LEAK PROOF CONTAINER AS DEPICTED ON THE PROJECT PLANS.				
21		MODIFY EXISTING SIGNAL CABINET TO INSTALL 15 AMP CIRCUIT BREAKER INSIDE OF THE CABINET FOR LUMINAIRE LIGHTING.				
22		THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING THE LOCAL UTILITY TO OBTAIN THE ESTIMATE FOR ANY CHARGES BY THE UTILITY FOR PROVIDING ELECTRICAL SERVICE TO THE SIGNAL CONTROLLER. THESE CHARGES AND ANY OTHER EQUIPMENT NECESSARY FOR A COMPLETE SERVICE CONNECTION SHALL BE INCLUDED IN THE PRICE BID FOR THIS ITEM FOR PAYMENT BY THE CONTRACTOR.				
23		TRENCHING SHALL BE INCLUDED IN THE COST OF CONDUIT.				
24		CONTROLLER SHALL BE A MCCAIN FLEX CONTROLLER.				
25		PEDESTAL POLE TO BE 10 FEET IN HEIGHT.				
26		LUMINAIRE ARMS REQUIRED FOR SIGNAL-MOUNTED LUMINAIRES ARE INCLUDED IN THE SIGNAL POLE QUANTITIES. SEE SPECIAL PROVISION 700SIG FOR POLE DESIGN REQUIREMENTS. BID ITEM SHALL INCLUDE THE COST OF ALL MATERIALS AND LABOR NECESSARY FOR COMPLETE INSTALLATION OF THE POLE FOUNDATION. SELECT THE APPROPRIATE FOUNDATION DESIGN FROM STANDARD				
27		THIS BID ITEM SHALL INCLUDE ALL EQUIPMENT AND WORK NECESSARY TO INSTALL TWO (2) OVERHEAD PEDESTRIAN HYBRID BEACONS, AN OFFSET LUMINAIRE, AND A R10-23 SIGN. THE ASSEMBLY INCLUDES MOUNTING BRACKETS, HARDWARE, WIRING, AND ANY OTHER INCIDENTAL ITEMS FOR A COMPLETE AND FULLY OPERATIONAL SYSTEM.				
28		GEOTEXTILE FABRIC PROPOSED UNDER OUTLET DISSIPATION AND CONSTRUCTION ENTRANCE RIP RAP				
29		INCLUDES 0.75 THOUSAND GALLONS FOR EROSION PREVENTION AND SEDIMENT CONTROL.				
30		STRUCTURE #2, SEE STRUCTURES SHEETS FOR ADDITIONAL NOTES TO BE INCLUDED IN THIS ITEM				
31		SEE DETAIL SHEET CO-05 FOR PLANTER SEAT WALL, INCLUDES COST OF INSTALLATION AND MATERIALS				

ONE Million Six Hundred Sixty Eight Thousand Six Hundred ~~Seventy~~ ^{and} ~~Three~~ ^{and} ~~Dollars~~ ^{and} ~~and~~ ^{and} ~~thirty~~ ^{and} ~~Seven~~ ^{and} ~~Cents~~ /100 Dollars,

\$ 1,668,673.³⁷

Note: This project shall be awarded to the lowest responsive and qualified bidder based upon the sum of the base bids for this project (West Division St., from Mt. Juliet Elementary School to S. Green Hill Rd. in Mount Juliet.) (PIN: 132444.00).

The Bidder acknowledges that he (she) has received the following addenda. The modifications to the Bid Documents noted therein have been considered and all cost thereto are included in the Bid Sum.

- A. Addendum Number 1 Dated 1/13/2026
- B. Addendum Number 2 Dated 1/13/2026
- C. Addendum Number 3 Dated 1/16/2026
- D. Addendum Number 4 Dated 1/20/2026
- E. Addendum Number 5 Dated 1/21/2026

NOTE:


The penalty for making false statement in offers is prescribed in 18 U.S.C. 1001.

Company Address: _____

ADAMS CONTRACTING, LLC
 131 PROSPEROUS PLACE, SUITE 19A
 LEXINGTON, KY 40509-1844

Company Telephone #: 859-629-4948 Fax #: NONE

Name of Person Signing Bid: SCOTT ADAMS, P.E.

Signature: 

Title of Person Signing Bid: PRESIDENT

Date: 1/22/2026
Bid Award

END OF BID FORM

City of Mt. Juliet, TENNESSEE

CONTRACT NO. 220044

This agreement is made and executed in three (3) originals, between the City of Mt. Juliet, and _____ hereinafter referred to as the "Contractor."

WITNESSETH

The City of Mt. Juliet did advertise for, receive and accept a bid from the Contractor for work on the above identified contract.

In consideration of the agreements herein contained, to be performed by the parties hereto and of the payments hereafter agreed to be made, it is mutually agreed by both parties that:

1. The contract between the parties consists of the following "Contract Documents" all of which constitute one instrument:
 - (a) the Instructions to Bidders
 - (b) the Proposal
 - (c) all conditions and terms of this Contract form
 - (d) the Contract Payment & Performance Bond and/or Letter of Credit, where applicable
 - (e) the most current version of the *Tennessee Department of Transportation Standard Specifications for Road and Bridge Construction* (herein referred to as *TDOT Standard Specifications*)
 - (f) Supplemental Specifications
 - (g) Revisions and Additions
 - (h) Special Provisions
 - (i) Addenda
 - (j) The most current version of the TDOT Standard Drawings
 - (k) The Contract Plans,
 - (l) The Work Order
 - (m) Construction Changes
 - (n) Supplemental Agreements

All of the provisions contained in the listed Contract Documents are incorporated herein by reference with the same force and effect as though set out in full.

2. The Contract Documents are intended to be complementary and to describe and provide for a complete work. Requirements in one of these are as binding as if occurring in all of them. In case of discrepancy, Supplemental Specifications will govern over the TDOT Standard Specifications; the TDOT Standard Specifications will govern over the local government standard specifications; the Contract Plans will govern over both Supplemental and Standard Specifications, and Special Provisions will govern over both Plans and Specifications. In interpreting Plans, calculated dimensions will govern over scaled dimensions. Contract Plans, typical cross sections and approved working drawings will govern over Standard Drawings.
3. The Contractor agrees to furnish all materials, equipment, machinery, tools and labor and to perform the work required to complete the project in a thorough and

workmanlike manner, to the satisfaction of the appropriate official of the City of Mt. Juliet.

4. The City of Mt. Juliet agrees to pay to the Contractor such unit prices for the work actually done as are set out in the accompanying proposal, in the manner provided for in the TDOT Standard Specifications, Supplemental Specifications and applicable Special Provisions.
5. The Contractor shall, at all times, observe and comply with all applicable federal, state and local laws, ordinances and regulations and shall indemnify and hold harmless the City of Mt. Juliet and all of its officers, agents and servants against any claim of liability or assessment of fines or penalties arising from or based upon the Contractor's and/or its employees' violations of any such law ordinance or regulation. The Contractor shall maintain documentation for all charges against the City of Mt. Juliet under this Contract. The books, records and documents of the Contractor insofar as they relate to the work performed or money received under this contract shall be maintained for a period of seven (7) full years from the date of the final payment and shall be subject to audit at any reasonable time and upon reasonable notice by the City of Mt. Juliet, the State, the Comptroller of the Treasury, the Tennessee Department of Transportation, or their duly appointed representatives.
6. The Contractor shall be responsible for any and all injury or damage to persons or to property arising from the prosecution of the work and due to any act, omission, neglect or misconduct in its manner or method of prosecuting the work or due to its non-execution of the work or due to defective work or materials. The Contractor shall provide proof of adequate and appropriate general liability insurance providing liability coverage in an amount not less than \$1 million dollars per occurrence and \$300,000 per claimant, naming the City of Mt. Juliet as an additional insured.
7. The Contractor shall indemnify and hold harmless the City of Mt. Juliet and all of its officers, agents and employees from all suits, actions or claims of any character arising from the Contractor's acts or omissions in the prosecution of the work, use of unacceptable materials in constructing the work, infringement of patent, trademark or copyright, or claims for Workers' Compensation. If any such suit, action or claim is filed, the City of Mt. Juliet may retain from the monies due to the Contractor under this Contract a sum deemed sufficient by the City of Mt. Juliet to protect the City of Mt. Juliet from loss therefrom. Upon resolution of the suit, action or claim, any remaining retained funds will be released.
8. Upon execution of this Contract, the Contractor shall be prepared to begin the work to be performed under the Contract but will not proceed until it has received official "Notice to Proceed". This official notice will stipulate the date upon which it is expected that the Contractor will begin his work, and from which date the working days tabulated against its time limit will begin. All other requirements in regard to the beginning of construction set forth in the Proposal and Special Provisions will date from the official notice.

IN WITNESS WHEREOF, the parties hereto have cause this Contract to be signed and executed by their respective authorized agents or officials.

_____ Contractor 1	_____ Contractor 2*
By: _____	By: _____
_____ Print Name and Title	_____ Print Name and Title
_____ Date	_____ Date

City of Mt. Juliet, TENNESSEE

This Contract is accepted _____ day of _____ ,
this _____
and is effective on the _____ day of _____ ,

[CITY/COUNTY Official]

Approved:

City of Mt. Juliet Attorney

***NOTE: The signature and information for Contractor 2 is to be provided when there is a joint venture.**